



SENTRYWAY[®]

VIDEOSURVEILLANCE SYSTEMS

CurveTrack[®]

TECHNOLOGY - PRECISION - DISCRETION

TRAVELLING VIDEO SURVEILLANCE SYSTEM

SENTRYWAY®

VIDEOSURVEILLANCE SYSTEMS

Your manufacturer and distributor for all
Travelling Video Surveillance Systems for Europe, Middle East & Asia



Since January 2015,
SENTRYWAY® is part of the ANAVEO Group.

French leader on the video surveillance's market, ANAVEO develops and installs smart video surveillance devices based on IP technology.

Located in Champagne au Mont d'Or in France, SENTRYWAY® learned from ANAVEO extensive experience in the video security industry. Targeting European (including european countries' overseas territories), Middle-East & Asian markets, SENTRYWAY® has ambitious plans to distribute its travelling video surveillance systems in those parts of the world.

SENTRYWAY® is a company and a brand dedicated to support European, Middle-Eastern and Asian distributors, dealers and installers.

OUR COMMITMENTS

- An **innovative** range of product
- A **high level of technology** for all our products
- A strong will to deliver great **customer experiences**

OUR SERVICES

- A real **client care** with a dedicated team
- A **special commercial service** to answer your questions
- A **high level consulting** thanks to our extensive experience

OUR GOAL

To provide you with a **competitive and distinctive offer**



CurveTrack® : Real benefits for security




Full HD Camera

With its 1080p CMOS sensor and its 1920x1080 resolution, CurveTrack® will enable you to see every details and prevent any incident.



IP Technology

CurveTrack® uses IP Technology for images transmissions and carriage control. The IP technology means less cable for installation and easier integration.



Discreet and efficient

A continuous roll of mirrored film is clipped to the enclosure and allows to obscure the location of the camera while allowing in sufficient light for optimal camera performance.


ONVIF Protocol

ONVIF Protocol offers you more reliability and flexibility while making the installation easier.




100% Coverage

With its ability to travel at a speed of 6 m / sec and its PTZ camera, CurveTrack® removes blindspots and offers you maximum visibility.



Up to 180° turns

Travelling on straight and curved sections of rail, CurveTrack® can make turns from 45° to 180°, adapting to every space configuration.





A concrete answer to your needs



Adaptability & Efficiency

With its ability to make turns up to 180°, CurveTrack® easily adapts to any site configuration : supermarket, warehouse, airport, underground parking garage and more.


Reducing theft and shrinkage, protecting your customers and employees, preventing degradations, monitoring your production lines... All of those needs will be answered by the CurveTrack®.



Complementary product range

In addition to the CurveTrack®, SENTRYWAY® is able to offer you different products to complete your installation such as cameras, domes, varifocal, bullet cameras, fixed mini domes and more...

For more information regarding those products, do not hesitate to contact your sales interlocutors !




Fitting every space configuration

100% COVERAGE

The ability to travel and the PTZ camera of the CurveTrack[®] enables you to follow a person in a shop or an object in your factory or warehouse. Instead of switching cameras and screens, you just need to flick the joystick !

Need more space ? Easily add more rail to the existing one !



Only one carriage to cover multiple aisles

FULL HD QUALITY

With its Full HD sensor, the camera equipped on the CurveTrack[®] offers a x20 optical zoom enabling you to see every details and making identifications easier.

Technical specifications



1080p 1/3 inch
scan CMOS sensor




1920x1080
Full HD resolution




360° pan range
-5° to -90° tilt



x30 optical zoom



Automatic focus



Automatic or manual
backlight control



24 VDC / 3A
supply voltage




Connection by
network cable




Operating conditions :
inside or outside (under a canopy)
from -10°C to 50°C



Travelling speed
6 m / sec




Straight rail section : 2,5 m
Curved rail section : 1,35 m
Section's weight : 5,5 kg



Plastic windows : one-way
mirror effect, fixed with
invisible clips

SENTRYWAY®

VIDEOSURVEILLANCE SYSTEMS



www.sentryway.com
contact@sentryway.com

Les Carrés du Parc - 10 rue des Rosiéristes
69410 Champagne au Mont d'Or