

Headoffice & Manufacture
Shenzhen GangShan Guanglian Electronics Tech Co.Ltd.
Building #11, Heshakeng Industrial Park, Sanlian Village, Bujia Town, Longgang District, Shenzhen

Dongguan Manufacture
Jinshan Industrial Park, New Changshan Village, Changeshan Village Committee, Qingxi Town, Dongguan

TELE: 0755-28521949
Direct line: 0755-28521205
E-mail: export@szqunanjie.com
<http://www.sggsecurity.com>

H.265+/H.265
Intelligent Solutions



Shenzhen GangShan Guanglian Electronics Tech Co.Ltd.

2018 | OEM/ODM PRODUCT
CATALOGUE

LONRUN®

LONRUN®

LONRUN®

LONRUN BRAND

The logo stands for the rapid developing of LONRUN technical strength , Inspiring to be the leader in CCTV security industry all over the world .


Blue stands for high quality products, perfect innovative marketing service system, strong technical support services , depends on innovative technologies and professional experience to realize sustainable development of LONRUN company and create value for all clients.

The underline curved horizon stands for the symbolize the bright sun rises from the horizon, and the win-win relationship between clients and LONRUN . It conveys the corporate philosophy of "To make the world safer".



Contents

05-06 Smart pen	07-08 Wifi Video Doorbell
09 Battery IP Camera	10 Wireless Network Camera
11-12 829 Series	13-14 2MP 180° Panoramic Camera
15 360° HD VR Camera	16 NVR(LR-990)
17 360° Panoramic Camera	18 Outdoor SD Card Single Wifi Camera
19 12.5 inch 4CH Wifi Kit	20 10.1 inch 4CH Wifi Kit
21 H.265 2MP 4ch wireless kit	22 IP Camera Switch



Certificate:



Exhibitions:






Wifi Video Doorbell

Main Feature:

- 100% Wire-Free For working
- 166° Wide view.
- Remote wake-up enable, Keep watching at any time
- 8 months Long working time
- 2 way audio without Noise
- 720p HD video, Compress with H.264, Low Bandwidth



Model	LR-DB101
Image sensor	1/4 "color CMOS sensor
Display resolution	1280*720 (1MP)
Lens	f: 3.6mm, 1.0MP
Visual angle	H: 180°
Minimum illumination	0.01Lux
Night vision	6dot matrix infrared lights, IR distance: 5meters
Pan&Tilt	Horizontal:350° & Vertical:100°






829 Series New PTZ Cloud Camera

- Supports 1280*720P/1920*1080P
- Supports two-way audio/smart Wi-Fi connection
- Supports Android, IOS devices, remote real-time monitoring
- Supports multi-user access, multi-device management
- Supports motion detection / alarm / snapshot/ video
- Supports 128G Micro SD card / cloud box storage

Model	LR-P2P-829	LR-P2P-829/X
Image sensor	1/4 "color CMOS sensor	1/2.7 "color CMOS sensor
Display resolution	1280*720 (1MP)	1920*1080 (2MP)
Lens	f: 3.6mm, 1.3MP	f: 3.6mm, 2MP
Visual angle	H:60.5°; V:34°; D:70°	H:80°; V:65°; D:100°
Minimum illumination	0.01Lux	
Pan&Tilt	Horizontal:350°& Vertical:100°	
Night vision	6 dot matrix infrared lights, IR distance: 6meters	



360° HD VR Camera

Main Feature:

- 360°wide range Viewing without dead angle
- Stereoscopic monitor screen, immersive visual experience
- With at home mode and outside mode more intelligent and more intimate
- Support PTZ random angle adjustment
- Multiple installation pattern adapt to more scene
- Support TF card storage

Specifications

Product Name	LR 360 VR Camera
Image Sensor	1/2.8" CMOS sensor
Resolution	1944x1944
Lenses	1.1mm viewing Angle: 360°
PTZ	360°
Day & Night	IR-cut Double filter automatic switching
Minimum illumination	0.1 Lux @(F2.0,AGC ON), 0.01 Lux with IR
Video Compression Standard	H.264/ H.265



Support  **CLOUD STORAGE**

360° Panoramic Camera

Main Feature:

- 1.3MP picture output
- Wireless connection
- Cloud service based on P2P function
- Panorama image adjustment
- Digital PTZ function
- Motion detection alarm linkage
- Clear talkback
- 128G micro SD max

Specification

Product Name	LR 360 VR Camera-1
Image Sensor	1/2.8" CMOS sensor
Resolution	1944x1944
Lenses	1.1mm viewing Angle: 360°
PTZ	360°
Day & Night	IR-cut Double filter automatic switching
Nimum illumination	0.1 Lux @ (F2.0,AGC ON), 0.01 Lux with IR
Video Compression Standard	H.264/ H.265



Outdoor SD Card Single Wifi Camera



- Wifi /SD card
- SD card record
- H.264+
- Max Support 128G
- Auto IR at night.
- Full 1080P



View on app Easy



12.5 inch 4CH Wifi Kit

Main Feature:

- Build in 12.5 inch High definition LCD Screen (resolution:1280*1024)
- With eseecloud service,easy to achieve a variety of network penetrations one step to remote monitoring, getting rid of various complicated networksettings, easy and simple to operate.
- Support various mobile monitoring(iPhone, Android) support HDMI HD output.
- H.264 High Profile compression algorithm.

Specification

	wireless nvr	4CH	Model	LR-12.5WK 720P	LR-12.5WK 960P	LR-12.5WK 1080P
	CPU	HI3520Dv200	DSP/Sensor	HI3518EV200+SC1145	HI3518EV200+SC1135	HI3518EV200+SC2135
	Network/Video	4CH	Sensor	1/4" Progressive Scan Sensor	1/3" Progressive Scan Sensor	
	Video input	4ch 720P/960P/1080P	S/N Ratio	> 39.1 dB		
	HDMI output	1ch, resolution: 1024x768, 1366x768, 1440x900,1920x1080p	Resolution	1280 x 720 16 : 9	1280 x 960 4 : 3	1920 x 1080 16 : 9
	VGA output	1ch, resolution: 1024x768, 1366x768, 1440x900,1920x1080p	Dual-stream:	Dual-stream: Dual-stream:		
AV (audio/ video) output			smart stream	1280x720@15fps	1280x960@15fps	1280x1080@15fps
				640x360@15fps		640x480@15fps



10.1 inch 4CH Wifi Kit

Main Feature:

- Build in 10.1inch standard definition LCD Screen (resolution:10241*768), LCD screen can support 3270 degree rotate.
- Step on the Internet: With eseecloud service,easy to achieve a variety of network penetrations one step to remote monitoring, getting rid of various complicated networksettings, easy and simple to operate.
- Mobile monitor: Support various mobile monitoring(iPhone, Android)
- Display:support HDMI HD output.
- Compression algorithm ideal: H.264 High Profile compression algorithm.



H.265 2MP 4CH Wireless Kit

Main Feature:

- wifi kit all-round upgrading
- H265 series wifi kit 4ch/8ch
- 2mp/4mp H265+low stream
- wifi function,optimize stream,
- more smoothly image
- H265+,super low stream,save wideband,save harddisk



Specification

- wireless NVR

Model	LR-WK2604	
Video/audio output	HDMI Output	1ch, Resolution: 1024x768, 1280x1024,1366x768, 1440x900,1920x1080p, support audio output
	VGA Output	1ch, Resolution: 1024x768, 1280x1024,1366x768, 1440x900,1920x1080p
Storage	type	1 SATA
	Storage capacity	6TB for each HDD
out interface	Network	1RJ45 10M/100M self-adjustable internet port

- Wireless IPC

Model	LR-WK2604	
Sensor	1/3"CMOS	
Lens	4mm/6mm	
video compression	standard H.265、H.264	
smart stream	Dual-stream:	
	1920x1080@15fps	
	640x480@15fps	
Resolution	1280x960 4:3 high definition	
OSD	Date Time & Title	

IP Camera Switch

Main Feature:

- Support wireless AP hot-spot
- Support wireless repeating
- Support 2.4G wireless IPC
- Support one-key matching-code wireless IPC
- Support IPC signal strength indicator
- Support voice alert function under matching code state

Specifications:

Product Name	LR-WS-1	
WIFI	802.11b/g/n 2.4G Single antenna	
Support how many Cameras at max	4 wireless IPC	
Video input	4ch 720P/960P/1080P	
Indicator light number	5 LED indicator, 4 for IPC signal state, 1 for NVR connection state	
Interface Type	1 x RJ45 100Mbps network interface	match code with IPC, Video output
	1 x wire with reset button	One key to match code, reset
	1 x 12V power supply	Supply power for the router
Waterproof Class	Ip66	
Lightning protection class	Standard IEC61000-4-5	
Power supply	DC12V	
Dimension	Weight	





H.265 Smart 2/4/5MP POE NVR Kit

Intelligent Face++++

- *1x H.265 Smart POE NVR
- *4X Smart POE IPC
- *4x18.3m Cat5 Cable



HD KIT 5MP/4MP/1080P/720P

4CH/8CH/16CH


- *1x4ch 1080P/4MP AHD/TVI DVR
- *4x720P/1080P/5MP AHD/TVI Camera
- *4x18.3m 1080P no legacy cable
- *1X1 to 4 Splited Cable
- *1x2A Power supply(camera only)




Family Safety



Office Safety



Warehouse Safety



Smart Home P2P Wifi Kit



- 1 * 4CH Wireless NVR
- 4 * 1080P Wireless IP Camera
- 1 * 8CH Wireless NVR
- 8 * 1080P Wireless IP Camera



HDD

How long will my NVR record for?

Channel HDD	Record Resolution	4CH	8CH	16CH
Toshiba 500G	1080P	3.2 days	\	\
	720P	4.7 days	\	\
Seagate 1TB	1080P	6.3 days	3 days	\
	720P	9.5 days	4 days	\
Seagate 2TB	1080P	12.6 days	6 days	3 days
	720P	19 days	8 days	4 days
Seagate/WD 4TB	1080P	25.3 days	12 days	5.6 days
	720P	38 days	16 days	8 days